



SERIE 27-28 PNEUMATICA



 Ruota pneumatica con battistrada in gomma a 2 o 4 tele. Il cerchio e' in plastica o lamiera zincata e il mozzo in base alle misure e' corredato di cuscinetti , rullini o bussola.

MOZZO: K = Cuscinetti a sfera R = Gabbia a rulli G = Foro passante

CERCHIO : P= Plastica (SERIE 27) M= Metallo (SERIE 28)

 Pneumatic wheel with 2 or 4 ply rubber tread. The rim is in plastic or galvanized sheet and the hub, according to the measures, is equipped with bearings, rollers or bush.

HUB : K = Ball bearings R = Roller bearing G

= Plain bore RIM : P = Polypropylene (SERIES 27)

M = Metal (SERIES 28)

RUOTA

				M		TELE	CERCHIO	ART.
200	50	58	20	G	75	2	P	R27-G-200-2T
200	50	58	20	R	75	2	P	R27-R-200-2T
220	70	75	20	G	100	4	P	R27-G-220-4T
260	85	75	20	G	200	2	P	R27-G-260-2T
260	85	75	20	R	200	2	P	R27-R-260-2T
260	85	75	20	G	200	4	P	R27-G-260-4T
260	85	75	20	G	200	2	M	R28-G-260-2T
260	85	75	20	R	200	2	M	R28-R-260-2T
260	85	75	20	G	200	4	M	R28-G-260-4T
260	85	75	20	R	200	4	M	R28-R-260-4T
260	85	75	20	K	200	4	M	R28-K-260-4T
300	100	75	20	G	250	4	P	R27-G-300-4T
300	100	75	20	R	250	4	P	R27-R-300-4T
300	100	75	20	G	250	4	M	R28-G-300-4T
300	100	75	20	R	250	4	M	R28-R-300-4T
300	100	75	20	K	250	4	M	R28-K-300-4T

**M****TELE****CERCHIO****ART.**

360	85	75	20	G	200	4	P	R27-G-360-4T
360	90	75	25	G	200	2	M	R28-G-360-2T
360	90	75	25	R	200	2	M	R28-R-360-2T
360	90	51	25	K	200	2	M	R28-K-360-2T
400	110	50	20	G	200	2	P	R27-G-400-2T
400	110	75	25	G	200	2	M	R28-G-400-2T
400	110	75	20	R	200	4	P	R28-R-400-4T
400	110	75	25	K	350	4	M	R28-K-400-4T
400	110	51	25	K	350	4	M	R28-K-400-51-4T

PIASTRA FISSA



						M		ART.
260	85	307	260x85	150x115	14x26	G	200	487-27G260-4T
260	85	307	260x85	150x115	14x26	R	200	487-27R260-4T
260	85	307	260x85	150x115	14x26	K	200	487-27K260-4T
260	85	307	260x85	150x115	14x26	G	200	487-28G260-4T
260	85	307	260x85	150x115	14x26	R	200	487-28R260-4T
260	85	307	260x85	150x115	14x26	K	200	487-28K260-4T

PIASTRA GIREVOLE



								M		ART.	CON FRENO ART.
260	85	307	260x85	150x115	14x26	85	G	200	488-27G260-4T	488F-27G260-4T	
260	85	307	260x85	150x115	14x26	85	R	200	488-27R260-4T	488F-27R260-4T	
260	85	307	260x85	150x115	14x26	85	K	200	488-27K260-4T	488F-27K260-4T	
260	85	307	260x85	150x115	14x26	85	G	200	488-28G260-4T	488F-28G260-4T	
260	85	307	260x85	150x115	14x26	85	R	200	488-28R260-4T	488F-28R260-4T	
260	85	307	260x85	150x115	14x26	85	K	200	488-28K260-4T	488F-28K260-4T	