


SERIE 9 INOX




 Ruota con nucleo centrale in nylon 6 bianco, rivestimento in poliuretano termoplastico 98 shore A ad iniezione . Ottima capacità di carico, ridotta rumorosità, non danneggia il pavimento, resiste ad olii, grassi. Resistente alla rottura , corrosione ed alla maggior parte dei prodotti chimici. Ottimo impiego nell'industria chimico-farmaceutica , alimentare e automotive .

Resistente a temperature: -20° C + 60° C

MOZZO: K = Cuscinetti a sfera R = Gabbia a rulli inox G = Foro passante






SUPPORTO: Lamiera stampata in acciaio inox AISI 304, gruppo rotante realizzato con doppia corona di sfere.

 Injected thermoplastic polyurethane wheel with nylon 6 centre. It has hardness 98 shore A. This wheel has very good load capacity ,low noist ,flooring protection and resists to corroding substances,mineral oils and greases. This type of wheel can be used to pharmaceutical, chemical,food and automotive industries. It resists at temperatures from -20° C to + 60° C.






HUB : K = Ball bearing. R= Stainless steel roller bearing G= Plain bore

BRACKET: stainless steel AISI 304. Swivel housing with double balls race ring.

RUOTA

				M		ART.
80	30	40	12	G	130	R9-G-080
80	30	40	12	RX	130	R9-RX-080
80	30	30	12	KS	150	R9-KS-080
100	30	40	12	G	170	R9-G-100
100	30	40	12	RX	170	R9-RX-100
100	30	30	15	KS	180	R9-KS-100
125	35	45	15	G	250	R9-G-125
125	35	45	15	RX	250	R9-RX-125
125	35	30	15	KS	300	R9-KS-125
125	40	58	20	G	300	R9-G-125-20
125	40	58	20	RX	300	R9-RX-125-20
125	40	50	20	KS	350	R9-KS-125-20

RUOTA

				M		ART.
150	40	45	15	G	300	R9-G-150
150	40	45	15	RX	300	R9-RX-150
150	40	40	15	KS	400	R9-KS-150
150	40	58	20	G	400	R9-G-150-20
150	40	58	20	RX	400	R9-RX-150-20
150	40	50	20	KS	500	R9-KS-150-20
160	40	58	20	G	480	R9-G-160
160	40	58	20	RX	480	R9-RX-160
160	40	55	20	KS	480	R9-KS-160
175	45	58	20	G	500	R9-G-175
175	45	58	20	RX	500	R9-RX-175
175	45	50	20	KS	600	R9-KS-175
200	50	58	20	G	600	R9-G-200
200	50	58	20	RX	600	R9-RX-200
200	50	50	20	KS	700	R9-KS-200

LEGGERO - PIASTRA FISSA












									M		ART.
80	30	108	100x84	80x60	9	G	120	443X-9G080			
80	30	108	100x84	80x60	9	RX	120	443X-9RX080			
80	30	108	100x84	80x60	9	KS	120	443X-9KS080			
100	30	127	100x84	80x60	9	G	170	443X-9G100			
100	30	127	100x84	80x60	9	RX	170	443X-9RX100			
100	30	127	100x84	80x60	9	KS	180	443X-9KS100			
125	35	156	100x84	80x60	9	G	200	443X-9G125			
125	35	156	100x84	80x60	9	R	200	443X-9RX125			
125	35	156	100x84	80x60	9	K	200	443X-9KS125			
125	40	164	135x110	105x80	11	G	300	443PX-9G125-20			
125	40	164	135x110	105x80	11	RX	300	443PX-9RX125-20			
125	40	164	135x110	105x80	11	KS	300	443PX-9KS125-20			
150	40	181	100x85	80x60	9	G	250	443LX-9G150			
150	40	181	100x85	80x60	9	RX	250	443LX-9RX150			
150	40	181	100x85	80x60	9	KS	250	443LX-9KS150			
150	40	192	135x110	105x80	11	G	300	443PX-9G150-20			
150	40	192	135x110	105x80	11	RX	300	443PX-9RX150-20			
150	40	192	135x110	105x80	11	KS	300	443PX-9KS150-20			
160	40	197	135x110	105x80	11	G	300	443X-9G160			
160	40	197	135x110	105x80	11	RX	300	443X-9RX160			
160	40	197	135x110	105x80	11	KS	300	443X-9KS160			
175	45	228	135x110	105x80	11	G	270	443-9G-175			
175	45	228	135x110	105x80	11	RX	270	443X-9RX175			
175	45	228	135x110	105x80	11	KS	270	443X-9KS175			
200	50	240	135x110	105x80	11	G	270	443X-9G200			
200	50	240	135x110	105x80	11	RX	270	443X-9RX200			
200	50	240	135x110	105x80	11	KS	270	443X-9KS200			

LEGGERO - PIASTRA GIREVOLE










									M		ART.	CON FRENO ART.
80	30	108	95x80	80x60	9	32	G	110	120	444X-9G080	444XF-9G080	
80	30	108	95x80	80x60	9	32	RX	110	120	444X-9RX080	444XF-9RX080	
80	30	108	95x80	80x60	9	32	KS	110	120	444X-9KS080	444XF-9KS080	
100	30	127	95x80	80x60	9	32	G	110	130	444X-9G100	444XF-9G100	
100	30	127	95x80	80x60	9	32	RX	110	130	444X-9RX100	444XF-9RX100	
100	30	127	95x80	80x60	9	32	KS	110	130	444X-9KS100	444XF-9KS100	
125	35	156	95x80	80x60	9	32	G	113	130	444X-9G125	444XF-9G125	
125	35	156	95x80	80x60	9	32	RX	113	130	444X-9RX125	444XF-9RX125	
125	35	156	95x80	80x60	9	32	KS	113	130	444X-9KS125	444XF-9KS125	
125	40	164	129x106	105x80	11	52	G	150	300	444PX-9G125-20	444PXF-9G125-20	
125	40	164	129x106	105x80	11	52	RX	150	300	444PX-9RX125-20	444PXF-9RX125-20	
125	40	164	129x106	105x80	11	52	KS	150	300	444PX-9KS125-20	444PXF-9KS125-20	

SEGUE

							M			ART.	CON FRENO ART.
150	40	181	95x80	80x60	9	32	G	115	200	444LX-9G150	444LXF-9G150
150	40	181	95x80	80x60	9	32	RX	115	200	444LX-9RX150	444LXF-9RX150
150	40	181	95x80	80x60	9	32	KS	115	200	444LX-9KS150	444LXF-9KS150
150	40	192	129x106	105x80	11	52	G	150	250	444X-9G150-20	444XF-9G150-20
150	40	192	129x106	105x80	11	52	RX	150	250	444X-9RX150-20	444XF-9RX150-20
150	40	192	129x106	105x80	11	52	KS	150	250	444X-9KS150-20	444XF-9KS150-20
160	40	197	129x106	105x80	11	52	G	150	300	444-9G-160	444F-9G-160
160	40	197	129x106	105x80	11	52	RX	150	300	444X-9RX160	444XF-9RX160
160	40	197	129x106	105x80	11	52	KX	150	300	444X-9KS160	444XF-9KS160
175	45	228	129x106	105x80	11	48	G	150	300	444X-9G175	444XF-9G175
175	45	228	129x106	105x80	11	48	RX	150	300	444X-9RX175	444XF-9RX175
175	45	228	129x106	105x80	11	48	KS	150	300	444X-9KS175	444XF-9KS175
200	50	240	129x106	105x80	11	48	G	150	300	444X-9G200	444XF-9G200
200	50	240	129x106	105x80	11	48	RX	150	300	444X-9RX200	444XF-9RX200
200	50	240	129x106	105x80	11	48	KS	150	300	444X-9KS200	444XF-9KS200

LEGGERO - ATTACCO A FORO



					M			ART.	CON FRENO ART.
80	30	108	12	32	G	110	130	444XOB-9G080	444XFOB-9G080
80	30	108	12	32	RX	110	130	444XOB-9RX080	444XFOB-9RX080
80	30	108	12	32	KS	110	130	444XOB-9KS080	444XFOB-9KS080
100	30	127	12	32	G	110	130	444XOB-9G100	444XFOB-9G100
100	30	127	12	32	RX	110	130	444XOB-9RX100	444XFOB-9RX100
100	30	127	12	32	KS	110	130	444XOB-9KS100	444XFOB-9KS100
125	35	156	12	32	G	113	130	444XOB-9G125	444XFOB-9G125
125	35	156	12	32	RX	113	130	444XOB-9RX125	444XFOB-9RX125
125	35	156	12	32	KS	113	130	444XOB-9KS125	444XFOB-9KS125
125	40	164	16	52	G	113	300	444PXOB-9G125-20	444PXFOB-9G-125-20
125	40	164	16	52	RX	113	300	444PXOB-9RX125-20	444PXFOB-9RX125-20
125	40	164	16	52	KS	113	300	444PXOB-9KS125-20	444PXFOB-9KS125-20
150	40	178	12	42	G	115	200	444LXOB-9G150	444LXFOB-9G150
150	40	178	12	42	RX	115	200	444LXOB-9RX150	444LXFOB-9RX150
150	40	178	12	42	KS	115	200	444LXOB-9KS150	444LXFOB-9KS150
150	40	192	16	52	G	115	300	444XOB-9G150-20	444XFOB-9G150-20
150	40	192	16	52	RX	115	300	444XOB-9RX150-20	444XFOB-9RX150-20
150	40	192	16	52	KS	115	300	444XOB-9KS150-20	444XFOB-9KS150-20
160	40	197	16	52	G	115	300	444XOB-9G160	444XFOB-9G160
160	40	197	16	52	RX	115	300	444XOB-9RX160	444XFOB-9RX160
160	40	197	16	52	KS	115	300	444XOB-9KS160	444XFOB-9KS160
175	45	228	16	48	G	150	300	444XOB-9G175	444XFOB-9G175
175	45	228	16	48	RX	150	300	444XOB-9RX175	444XFOB-9RX175
175	45	228	16	48	KS	150	300	444XOB-9KS175	444XFOB-9KS175
200	50	240	16	48	G	150	300	444XOB-9G200	444XFOB-9G200
200	50	240	16	48	RX	150	300	444XOB-9RX200	444XFOB-9RX200
200	50	240	16	48	KS	150	300	444XOB-9KS200	444XFOB-9KS200

MEDIO - PIASTRA FISSA












						M		ART.
80	30	108	100x84	80x60	9	G	130	453LX-9G080
80	30	108	100x84	80x60	9	RX	130	453LX-9RX080
80	30	108	100x84	80x60	9	KS	150	453LX-9KS080
100	35	128	100x84	80x60	9	G	170	453LX-9G100
100	35	128	100x84	80x60	9	RX	170	453LX-9RX100
100	35	128	100x84	80x60	9	KS	180	453LX-9KS100
125	35	154	100x84	80x60	9	G	250	453LX-9G125
125	35	154	100x84	80x60	9	RX	250	453LX-9RX125
125	35	154	100x84	80x60	9	KS	300	453LX-9KS125
125	40	165	135x110	105x80	12	G	300	453PX-9G125-20
125	40	165	135x110	105x80	12	RX	300	453PX-9RX125-20
125	40	165	135x110	105x80	12	KS	350	453PX-9KS125-20
150	40	195	135x110	105x80	12	G	400	453PX-9G150-20
150	40	195	135x110	105x80	12	RX	400	453PX-9RX150-20
150	40	195	135x110	105x80	12	KS	500	453PX-9KS150-20
160	40	200	135x110	105x80	12	G	480	453PX-9G160
160	40	200	135x110	105x80	12	RX	480	453PX-9RX160
160	40	200	135x110	105x80	12	KS	480	453PX-9KS160
175	45	229	135x110	105x80	12	G	500	453PX-9G175
175	45	229	135x110	105x80	12	RX	500	453PX-9RX175
175	45	229	135x110	105x80	12	KS	600	453PX-9KS175
200	50	241	135x110	105x80	12	G	600	453P-9G200
200	50	241	135x110	105x80	12	RX	600	453PX-9RX200
200	50	241	135x110	105x80	12	KS	700	453PX-9KS200

MEDIO - PIASTRA GIREVOLE










						M		ART.	CON FRENO ART.		
80	30	108	100x84	80x60	9	43	G	113	130	454LX-9G080	454LXF-9G080
80	30	108	100x84	80x60	9	43	RX	113	130	454LX-9RX080	454LXF-9RX080
80	30	108	100x84	80x60	9	43	KS	113	150	454LX-9KS080	454LXF-9KS080
100	30	128	100x84	80x60	9	42	G	114	170	454LX-9G100	454LXF-9G100
100	30	128	100x84	80x60	9	42	RX	114	170	454LX-9RX100	454LXF-9RX100
100	30	128	100x84	80x60	9	42	KS	114	180	454LX-9KS100	454LXF-9KS100
125	35	154	100x84	80x60	9	51	G	128	250	454LX-9G125	454LXF-9G125
125	35	154	100x84	80x60	9	51	RX	128	250	454LX-9RX125	454LXF-9RX125
125	35	154	100x84	80x60	9	51	KS	128	300	454LX-9KS125	454LF-9K125
125	40	165	132x110	105x80	12	62	G	158	300	454PX-9G125-20	454PXF-9G125-20
125	40	165	132x110	105x80	12	62	RX	158	300	454PX-9RX125-20	454PXF-9RX125-20
125	40	165	132x110	105x80	12	62	KS	158	350	454PX-9KS125-20	454PXF-9KS125-20

							M			ART.	CON FRENO ART.
150	40	195	132x110	105x80	12	62	G	158	400	454PX-9G150-20	454PXF-9G150-20
150	40	195	132x110	105x80	12	62	RX	158	400	454PX-9RX150-20	454PXF-9RX150-20
150	40	195	132x110	105x80	12	62	KS	158	500	454PX-9KS150-20	454PXF-9KS150-20
160	40	200	132x110	105x80	12	62	G	158	480	454PX-9G160	454PXF-9G160
160	40	200	132x110	105x80	12	62	RX	158	480	454PX-9RX160	454PXF-9RX160
160	40	200	132x110	105x80	12	62	KS	158	500	454PX-9KS160	454PXF-9KS160
175	45	230	132x110	105x80	12	61	G	158	500	454PX-9G175	454PXF-9G175
175	45	230	132x110	105x80	12	61	RX	158	500	454PX-9RX175	454PXF-9RX175
175	45	230	132x110	105x80	12	61	KS	158	600	454PX-9KS175	454PXF-9KS175
200	50	242	132x110	105x80	12	61	G	158	600	454PX-9G200	454PXF-9G200
200	50	242	132x110	105x80	12	61	RX	158	600	454PX-9RX200	454PXF-9RX200
200	50	242	132x110	105x80	12	61	KS	158	700	454PX-9KS200	454PXF-9KS200

MEDIO - ATTACCO A FORO



					M			ART.	CON FRENO ART.
80	30	108	12	43	G	113	130	454LXOB-9G080	454LXFOB-9G080
80	30	108	12	43	RX	113	130	454LXOB-9RX080	454LXFOB-9RX080
80	30	108	12	43	KS	113	150	454LXOB-9KS080	454LXFOB-9KS080
100	30	130	12	42	G	114	170	454LXOB-9G100	454LXFOB-9G100
100	30	130	12	42	RX	114	170	454LXOB-9RX100	454LXFOB-9RX100
100	30	130	12	42	KS	114	180	454LXOB-9KS100	454LXFOB-9KS100
125	35	158	12	51	G	128	250	454LXOB-9G125	454LXFOB-9G125
125	35	158	12	51	RX	128	250	454LXOB-9RX125	454LXFOB-9RX125
125	35	158	12	51	KS	128	280	454LXOB-9KS125	454LXFOB-9KS125
125	40	162	13	62	G	158	350	454PXOB-9G125-20	454PXFOB-9G125-20
125	40	162	13	62	RX	158	350	454PXOB-9RX125-20	454PXFOB-9RX125-20
125	40	162	13	62	KS	158	350	454PXOB-9KS125-20	454PXFOB-9KS125-20
150	40	193	13	62	G	158	350	454PXOB-9G150-20	454PXFOB-9G150-20
150	40	193	13	62	RX	158	350	454PXOB-9RX150-20	454PXFOB-9RX150-20
150	40	193	13	62	KS	158	350	454PXOB-9KS150-20	454PXFOB-9KS150-20
160	40	198	13	62	G	158	350	454PXOB-9G160	454PXFOB-9G160
160	40	198	13	62	RX	158	350	454PXOB-9RX160	454PXFOB-9RX160
160	40	198	13	62	KS	158	350	454PXOB-9KS160	454PXFOB-9KS160
175	45	226	13	61	G	158	350	454PXOB-9G175	454PXFOB-9G175
175	45	226	13	61	RX	158	350	454PXOB-9RX175	454PXFOB-9RX175
175	45	226	13	61	KS	158	350	454PXOB-9KS175	454PXFOB-9KS175
200	50	238	13	61	G	158	350	454PXOB-9G200	454PXFOB-9G200
200	50	238	13	61	RX	158	350	454PXOB-9RX200	454PXFOB-9RX200
200	50	238	13	61	KS	158	350	454PXOB-9KS200	454PXFOB-9KS200