


## SERIE 9




 Ruota con nucleo centrale in nylon 6 bianco, rivestimento in poliuretano termoplastico 98 Shore A ad iniezione. Ottima capacità di carico, ridotta rumorosità, non danneggia il pavimento, resiste ad olii, grassi. Resistente alla rottura, alla corrosione ed alla maggior parte dei prodotti chimici. Ottimo impiego nell'industria chimico-farmaceutica, alimentare e automotive.

Resistente a temperature: -20° C + 60° C

MOZZO: G = Foro passante R = Gabbia a rulli K = Cuscinetti a sfera






SUPPORTO: Lamiera d'acciaio stampato e zincato, gruppo rotante realizzato con doppia corona di sfere.

 Injected thermoplastic polyurethane 98 Shore A wheel with nylon 6 centre. This wheel has very good load capacity, low noise, flooring protection and resists to corroding substances, mineral oils and greases. This type of wheel can be used to pharmaceutical, chemical, food and automotive industries. It resists at temperatures from -20° C to + 60° C.






HUB : G= Plain bore R= Roller bearing K= Ball bearing

BRACKET: Pressed steel, zinc plated. Swivel housing with double balls race ring.

## RUOTA





				M		ART.
80	30	40	12	G	130	R9-G-080
80	30	40	12	R	130	R9-R-080
80	30	30	15	K	150	R9-K-080
100	30	40	12	G	170	R9-G-100
100	30	40	12	R	170	R9-R-100
100	30	30	15	K	180	R9-K-100
125	35	45	15	G	250	R9-G-125
125	35	45	15	R	250	R9-R-125
125	35	30	15	K	300	R9-K-125
125	40	58	20	G	300	R9-G-125-20
125	40	58	20	R	300	R9-R-125-20
125	40	50	20	K	350	R9-K-125-20

## RUOTA

				M		ART.
150	40	45	15	G	300	R9-G-150
150	40	45	15	R	300	R9-R-150
150	40	40	15	K	400	R9-K-150
150	40	58	20	G	400	R9-G-150-20
150	40	58	20	R	400	R9-R-150-20
150	40	50	20	K	500	R9-K-150-20
160	40	58	20	G	480	R9-G-160
160	40	58	20	R	480	R9-R-160
160	40	55	20	K	480	R9-K-160
175	45	58	20	G	500	R9-G-175
175	45	58	20	R	500	R9-R-175
175	45	50	20	K	600	R9-K-175
200	50	58	20	G	600	R9-G-200
200	50	58	20	R	600	R9-R-200
200	50	50	20	K	700	R9-K-200





## LEGGERO - PIASTRA FISSA



												M		ART.
80	30	108	100x84	80x60	9	G	120	443-9G-080						
80	30	108	100x84	80x60	9	R	120	443-9R-080						
80	30	108	100x84	80x60	9	K	130	443-9K-080						
100	30	127	100x84	80x60	9	G	130	443-9G-100						
100	30	127	100x84	80x60	9	R	130	443-9R-100						
100	30	127	100x84	80x60	9	K	130	443-9K-100						
125	35	156	100x84	80x60	9	G	130	443-9G-125						
125	35	156	100x84	80x60	9	R	130	443-9R-125						
125	35	156	100x84	80x60	9	K	130	443-9K-125						
125	40	164	135x110	105x80	11	G	250	443P-9G-125-20						
125	40	164	135x110	105x80	11	R	250	443P-9R-125-20						
125	40	164	135x110	105x80	11	K	250	443P-9K-125-20						
150	40	184	100x85	80x60	9	G	150	443L-9G-150						
150	40	184	100x85	80x60	9	R	150	443L-9R-150						
150	40	184	100x85	80x60	9	K	150	443L-9K-150						
150	40	192	135x110	105x80	11	G	250	443-9G-150-20						
150	40	192	135x110	105x80	11	R	250	443-9R-150-20						
150	40	192	135x110	105x80	11	K	250	443-9K-150-20						
160	40	197	135x110	105x80	11	G	250	443-9G-160						
160	40	197	135x110	105x80	11	R	250	443-9R-160						
160	40	197	135x110	105x80	11	K	250	443-9K-160						
175	45	228	135x110	105x80	11	G	270	443-9G-175						
175	45	228	135x110	105x80	11	R	270	443-9R-175						
175	45	228	135x110	105x80	11	K	270	443-9K-175						
200	50	240	135x110	105x80	11	G	270	443-9G-200						
200	50	240	135x110	105x80	11	R	270	443-9R-200						
200	50	240	135x110	105x80	11	K	270	443-9K-200						

## LEGGERO - PIASTRA GIREVOLE



												M		ART.	CON FRENO ART.
80	30	108	95x80	80x60	9	32	G	110	120	444-9G-080	444F-9G-080				
80	30	108	95x80	80x60	9	32	R	110	120	444-9R-080	444F-9R-080				
80	30	108	95x80	80x60	9	32	K	110	130	444-9K-080	444F-9K-080				
100	30	127	95x80	80x60	9	32	G	110	130	444-9G-100	444F-9G-100				
100	30	127	95x80	80x60	9	32	R	110	130	444-9R-100	444F-9R-100				
100	30	127	95x80	80x60	9	32	K	110	130	444-9K-100	444F-9K-100				
125	35	156	95x80	80x60	9	32	G	113	130	444-9G-125	444F-9G-125				
125	35	156	95x80	80x60	9	32	R	113	130	444-9R-125	444F-9R-125				
125	35	156	95x80	80x60	9	32	K	113	130	444-9K-125	444F-9K-125				
125	40	164	129x106	105x80	11	52	G	150	250	444P-9G-125-20	444PF-9G-125-20				
125	40	164	129x106	105x80	11	52	R	150	250	444P-9R-125-20	444PF-9R-125-20				
125	40	164	129x106	105x80	11	52	K	150	250	444P-9K-125-20	444PF-9K-125-20				
150	40	184	95x80	80x60	9	32	G	115	150	444L-9G-150	444LF-9G-150				
150	40	184	95x80	80x60	9	32	R	115	150	444L-9R-150	444LF-9R-150				
150	40	184	95x80	80x60	9	32	K	115	150	444L-9K-150	444LF-9K-150				

SEGUE

## LEGGERO - PIASTRA GIREVOLE



														ART.	CON FRENO ART.
150	40	192	129x106	105x80	11	52	G	150	250						
150	40	192	129x106	105x80	11	52	R	150	250					444-9R-150-20	444F-9R-150-20
150	40	192	129x106	105x80	11	52	K	150	250					444-9K-150-20	444F-9K-150-20
160	40	197	129x106	105x80	11	52	G	150	250					444-9G-160	444F-9G-160
160	40	197	129x106	105x80	11	52	R	150	250					444-9R-160	444F-9R-160
160	40	197	129x106	105x80	11	52	K	150	250					444-9K-160	444F-9K-160
175	45	228	129x106	105x80	11	48	G	150	270					444-9G-175	444F-9G-175
175	45	228	129x106	105x80	11	48	R	150	270					444-9R-175	444F-9R-175
175	45	228	129x106	105x80	11	48	K	150	270					444-9K-175	444F-9K-175
200	50	240	129x106	105x80	11	48	G	150	270					444-9G-200	444F-9G-200
200	50	240	129x106	105x80	11	48	R	150	270					444-9R-200	444F-9R-200
200	50	240	129x106	105x80	11	48	K	150	270					444-9K-200	444F-9K-200

## LEGGERO - ATTACCO A FORO



														ART.	CON FRENO ART.
80	30	108	12	32	G	110									
80	30	108	12	32	R	110								444OB-9R-080	444FOB-9R-080
80	30	108	12	32	K	110								444OB-9K-080	444FOB-9K-080
100	30	127	12	32	G	110								444OB-9G-100	444FOB-9G-100
100	30	127	12	32	R	110								444OB-9R-100	444FOB-9R-100
100	30	127	12	32	K	110								444OB-9K-100	444FOB-9K-100
125	35	156	12	32	G	113								444OB-9G-125	444FOB-9G-125
125	35	156	12	32	R	113								444OB-9R-125	444FOB-9R-125
125	35	156	12	32	K	113								444OB-9K-125	444FOB-9K-125
125	40	164	12	52	G	113								444POB-9G-125-20	444PFOB-9G-125-20
125	40	164	12	52	R	113								444POB-9R-125-20	444PFOB-9R-125-20
125	40	164	12	52	K	113								444POB-9K-125-20	444PFOB-9K-125-20
150	40	184	12	35	G	115								444LOB-9G-150	444LFOB-9G-150
150	40	184	12	35	R	115								444LOB-9R-150	444LFOB-9R-150
150	40	184	12	35	K	115								444LOB-9K-150	444LFOB-9K-150
150	40	192	16	52	G	115								444OB-9G-150-20	444FOB-9G-150-20
150	40	192	16	52	R	115								444OB-9R-150-20	444FOB-9R-150-20
150	40	192	16	52	K	115								444OB-9K-150-20	444FOB-9K-150-20
160	40	192	16	52	G	115								444OB-9G160	444FOB-9G160
160	40	192	16	52	R	115								444OB-9R160	444FOB-9R160
160	40	197	16	52	K	115								444OB-9K-160	444FOB-9K-160
175	45	228	16	48	G	150								444OB-9G-175	444FOB-9G-175
175	45	228	16	48	R	150								444OB-9R-175	444FOB-9R-175
175	45	228	16	48	K	150								444OB-9K-175	444FOB-9K-175
200	50	240	16	48	G	150								444OB-9G-200	444FOB-9G-200
200	50	240	16	48	R	150								444OB-9R-200	444FOB-9R-200
200	50	240	16	48	K	150								444OB-9K-200	444FOB-9K-200

## MEDIO - PIASTRA FISSA



									M		ART.
80	30	108	100x84	80x60	9	G		130	453L-9G080		
80	30	108	100x84	80x60	9	R		130	453L-9R080		
80	30	108	100x84	80x60	9	K		150	453L-9K080		
100	35	135	100x84	80x60	9	G		180	453L-9G100		
100	35	135	100x84	80x60	9	R		180	453L-9R100		
100	35	135	100x84	80x60	9	K		180	453L-9K100		
125	35	161	100x84	80x60	9	G		250	453L-9G125		
125	35	161	100x84	80x60	9	R		250	453L-9R125		
125	35	161	100x84	80x60	9	K		300	453L-9K125		
125	40	164	135x110	105x80	12	G		300	453P-9G125/20		
125	40	164	135x110	105x80	12	R		300	453P-9R125/20		
125	40	164	135x110	105x80	12	K		350	453P-9K125/20		
150	40	186	100x84	80x60	9	G		300	453L-9G150		
150	40	186	100x84	80x60	9	R		300	453L-9R150		
150	40	186	100x84	80x60	9	K		300	453L-9K150		
150	40	195	135x110	105x80	12	G		400	453P-9G150-20		
150	40	195	135x110	105x80	12	R		400	453P-9R150-20		
150	40	195	135x110	105x80	12	K		500	453P-9K150-20		
160	40	200	135x110	105x80	12	G		480	453P-9G160		
160	40	200	135x110	105x80	12	R		480	453P-9R160		
160	40	200	135x110	105x80	12	K		480	453P-9K160		
175	45	230	135x110	105x80	12	G		500	453P-9G175		
175	45	230	135x110	105x80	12	R		500	453P-9R175		
175	45	230	135x110	105x80	12	K		600	453P-9K175		
200	50	242	135x110	105x80	12	G		600	453P-9G200		
200	50	242	135x110	105x80	12	R		600	453P-9R200		
200	50	242	135x110	105x80	12	K		700	453P-9K200		

## MEDIO - PIASTRA GIREVOLE



									M		ART.	CON FRENO ART.
80	30	108	100x84	80x60	9	43	G	113	130	454L-9G080	454LF-9G080	
80	30	108	100x84	80x60	9	43	R	113	130	454L-9R080	454LF-9R080	
80	30	108	100x84	80x60	9	43	K	113	150	454L-9K080	454LF-9K080	
100	30	135	100x84	80x60	9	47	G	114	170	454L-9G100	454LF-9G100	
100	30	135	100x84	80x60	9	47	R	114	170	454L-9R100	454LF-9R100	
100	30	135	100x84	80x60	9	47	K	114	170	454L-9K100	454LF-9K100	
125	35	161	100x84	80x60	9	51	G	128	250	454L-9G125	454LF-9G125	
125	35	161	100x84	80x60	9	51	R	128	250	454L-9R125	454LF-9R125	
125	35	161	100x84	80x60	9	51	K	128	250	454L-9K125	454LF-9K125	
125	40	164	132x110	105x80	12	62	G	158	300	454P-9G125/20	454PF-9G125/20	
125	40	164	132x110	105x80	12	62	R	158	300	454P-9R125/20	454PF-9R125/20	
125	40	164	132x110	105x80	12	62	K	158	350	454P-9K125/20	454PF-9K125/20	
150	40	186	100x84	80x60	9	46	G	128	300	454L-9G150	454LF-9G150	
150	40	186	100x84	80x60	9	46	R	128	300	454L-9R150	454LF-9R150	
150	40	186	100x84	80x60	9	46	K	128	300	454L-9K150	454LF-9K150	

SEGUE

150	40	195	132x110	105x80	12	62	G	158	400	454P-9G150-20	454PF-9G150-20
150	40	195	132x110	105x80	12	62	R	158	400	454P-9R150-20	454PF-9R150-20
150	40	195	132x110	105x80	12	62	K	158	500	454P-9K150-20	454PF-9K150-20
160	40	200	132x110	105x80	12	62	G	158	480	454P-9G160	454PF-9G160
160	40	200	132x110	105x80	12	62	R	158	480	454P-9R160	454PF-9R160
160	40	200	132x110	105x80	12	62	K	158	480	454P-9K160	454PF-9R160
175	45	230	132x110	105x80	12	61	G	158	500	454P-9G175	454PF-9G175
175	45	230	132x110	105x80	12	61	R	158	500	454P-9R175	454PF-9R175
175	45	230	132x110	105x80	12	61	K	158	600	454P-9K175	454PF-9K175
200	50	242	132x110	105x80	12	61	G	158	600	454P-9G200	454PF-9G200
200	50	242	132x110	105x80	12	61	R	158	600	454P-9R200	454PF-9R200
200	50	242	132x110	105x80	12	61	K	158	700	454P-9K200	454PF-9K200

## MEDIO - ATTACCO A FORO



ART.

CON FRENO ART.

80	30	108	12	43	M	130		ART.	CON FRENO ART.
80	30	108	12	43	G	113	130	454LOB-9G080	454LFOB-9G080
80	30	108	12	43	R	113	130	454LOB-9R080	454LFOB-9R080
80	30	108	12	43	K	113	130	454LOB-9K080	454LFOB-9K080
100	30	130	12	47	G	114	170	454LOB-9G100	454LFOB-9G100
100	30	130	12	47	R	114	170	454LOB-9R100	454LFOB-9R100
100	30	130	12	47	K	114	170	454LOB-9K100	454LFOB-9K100
125	35	158	12	51	G	128	250	454LOB-9G125	454LFOB-9G125
125	35	158	12	51	R	128	250	454LOB-9R125	454LFOB-9R125
125	35	158	12	51	K	128	250	454LOB-9K125	454LFOB-9K125
125	40	162	12	62	G	158	350	454POB-9G125-20	454PFOB-9G125-20
125	40	162	12	62	R	158	350	454POB-9R125-20	454PFOB-9R125-20
125	40	162	12	62	K	158	350	454POB-9K125-20	454PFOB-9K125-20
150	40	193	12	62	G	158	350	454POB-9G150-20	454PFOB-9G150-20
150	40	193	12	62	R	158	350	454POB-9R150-20	454PFOB-9R150-20
150	40	193	12	62	K	158	350	454POB-9K150-20	454PFOB-9K150-20
160	40	198	12	62	G	158	350	454POB-9G160	454PFOB-9G160
160	40	198	12	62	R	158	350	454POB-9R160	454PFOB-9R160
160	40	198	12	62	K	158	350	454POB-9K160	454PFOB-9K160
175	45	227	12	61	G	158	350	454POB-9G175	454PFOB-9G175
175	45	227	12	61	R	158	350	454POB-9R175	454PFOB-9R175
175	45	227	12	61	K	158	350	454POB-9K175	454PFOB-9K175
200	50	240	12	61	G	158	350	454POB-9G200	454PFOB-9G200
200	50	240	12	61	R	158	350	454POB-9R200	454PFOB-9R200
200	50	240	12	61	K	158	350	454POB-9K200	454PFOB-9K200