




# SERIE ON



 Ruota in nylon 6 bianco. Buona capacita' di carico, attrito ridotto ed ottima scorrevolezza. Adatta all'industria farmaceutica, chimica, alimentare e agli ambienti con elevata umidità. Resistente alla corrosione di olii, grassi animali ed alla maggior parte di prodotti chimici. Resiste alle temperature tra -30° e +80° C. Ottima igienicità in quanto consente trattamenti di lavaggio e disinfezione.

MOZZO: G = Foro Passante R = Cuscinetto a rulli K = Cuscinetti a sfere






SUPPORTO: Lamiera d'acciaio stampata e zincata, gruppo rotante realizzato con doppia corona di sfere.

 White nylon 6 wheel. High flowability, also with full load on smooth flooring. Suitable for the pharmaceutical, chemical, food industry and environments with high humidity. Resistant to the corrosion of fatty animal oils and most of chemical products. It is able to resist at temperatures from -30 ° to + 80 ° C. Good hygienics as it allows washing and disinfection treatments.

HUB : G = Plain bore R = Roller bearing K = Ball bearing

BRACKET: Pressed steel, zinc plated. Swivel housing with double balls race ring.

## RUOTA

				M		ART.
60	35	40	12	G	150	RON-G-060
60	30	30	15	K	150	RON-K-060
80	30	40	12	G	150	RON-G-080
80	30	40	12	R	150	RON-R-080
80	30	30	15	K	150	RON-K-080
100	35	40	12	G	160	RON-G-100
100	35	40	15	G	180	RON-G-100-15
100	30	30	15	R	180	RON-R-100
100	35	38	15	K	180	RON-K-100
125	40	49	15	G	250	RON-G-125
125	40	49	15	R	250	RON-R-125
125	40	45	15	K	250	RON-K-125



**M**



**ART.**

150	40	49	15	G	250	RON-G-150
150	40	45	15	R	250	RON-R-150
150	40	50	20	K	250	RON-K-150
175	50	59	20	G	300	RON-G-175
175	45	58	20	R	300	RON-R-175
175	45	50	20	K	300	RON-K-175
200	50	59	20	G	320	RON-G-200
200	50	58	20	R	320	RON-R-200
200	50	50	20	K	320	RON-K-200

## LEGGERO - PIASTRA FISSA



						M		ART.
60	35	89	100x84	80x60	9	G	120	443-ONG060
60	30	89	100x84	80x60	9	K	120	443-ONK060
80	30	108	100x84	80x60	9	G	110	443-ONG080
80	30	108	100x84	80x60	9	R	110	443-ONR080
80	30	108	100x84	80x60	9	K	110	443-ONK080
100	35	127	100x84	80x60	9	G	120	443-ONG100
100	35	127	100x84	80x60	9	G	130	443-ONG100-15
100	35	127	100x84	80x60	9	R	120	443-ONR100
100	35	127	100x84	80x60	9	K	120	443-ONK100
125	40	156	100x84	80x60	9	G	130	443-ONG125
125	40	156	100x84	80x60	9	R	130	443-ONR125
125	40	156	100x84	80x60	9	K	130	443-ONK125
125	45	164	135x110	105x80	11	G	250	443P-OSG125
125	45	164	135x110	105x80	11	R	250	443P-OSR125
125	45	164	135x110	105x80	11	K	250	443P-OSK125
150	40	179	100x85	80x60	9	G	130	443L-ONG150
150	40	179	100x85	80x60	9	R	130	443L-ONR150
150	40	179	100x85	80x60	9	K	130	443L-ONK150
150	45	192	135x110	105x80	11	G	250	443-OSG150
150	45	192	135x110	105x80	11	R	250	443-OSR150
150	45	192	135x110	105x80	11	K	250	443-OSK150
175	45	228	135x110	105x80	11	G	260	443-ONG175
175	45	228	135x110	105x80	11	R	260	443-ONR175
175	45	228	135x110	105x80	11	K	260	443-ONK175
200	50	240	135x110	105x80	11	G	270	443-ONG200
200	50	240	135x110	105x80	11	R	270	443-ONR200
200	50	240	135x110	105x80	11	K	270	443-ONK200

## LEGGERO - PIASTRA GIREVOLE



							M		ART.	CON FRENO ART.	
60	35	89	100x85	80x60	9	37	G	110	120	444-ONG060	444F-ONG060
60	30	89	100x85	80x60	9	37	K	110	120	444-ONK060	444F-ONK060
80	30	108	95x80	80x60	9	32	G	110	110	444-ONG080	444F-ONG080
80	30	108	95x80	80x60	9	32	R	110	110	444-ONR080	444F-ONR080
80	30	108	95x80	80x60	9	32	K	110	110	444-ONK080	444F-ONK080
100	30	127	95x80	80x60	9	32	G	110	120	444-ONG100	444F-ONG100
100	35	127	95x80	80x60	9	32	G	110	130	444-ONG100-15	444F-ONG100-15
100	30	127	95x80	80x60	9	32	R	110	120	444-ONR100	444F-ONR100
100	30	127	95x80	80x60	9	32	K	110	120	444-ONK100	444F-ONK100
125	35	156	95x80	80x60	9	32	G	113	130	444-ONG125	444F-ONG125

## LEGGERO - PIASTRA GIREVOLE



																		ART.	CON FRENO ART.
125	35	156	95x80	80x60	9	32	R	113	130	444-0NR125	444F-0NR125								
125	35	156	95x80	80x60	9	32	K	113	130	444-0NK125	444F-0NK125								
125	45	164	129x106	105x80	11	52	G	150	250	444P-0SG125	444PF-0SG125								
125	45	164	129x106	105x80	11	52	R	150	250	444P-0SR125	444PF-0SR125								
125	45	164	129x106	105x80	11	52	K	150	250	444P-0SK125	444PF-0SK125								
150	40	179	100x85	80x60	9	37	G	115	130	444L-0NG150	444LF-0NG150								
150	40	179	100x85	80x60	9	37	R	115	130	444L-0NR150	444LF-0NR150								
150	40	179	100x85	80x60	9	37	K	115	130	444L-0NK150	444LF-0NK150								
150	45	192	129x106	105x80	11	52	G	150	250	444-0SG150	444F-0SG150								
150	45	192	129x106	105x80	11	52	R	150	250	444-0SR150	444F-0SR150								
150	45	192	129x106	105x80	11	52	K	150	250	444-0SK150	444F-0SK150								
175	45	228	129x106	105x80	11	48	G	150	260	444-0NG175	444F-0NG175								
175	45	228	129x106	105x80	11	48	R	150	260	444-0NR175	444F-0NR175								
175	45	228	129x106	105x80	11	48	K	150	260	444-0NK175	444F-0NK175								
200	50	240	129x106	105x80	11	48	G	150	270	444-0NG200	444F-0NG200								
200	50	240	129x106	105x80	11	48	R	150	270	444-0NR200	444F-0NR200								
200	50	240	129x106	105x80	11	48	K	150	270	444-0NK200	444F-0NK200								








## LEGGERO - ATTACCO A FORO



																		ART.	CON FRENO ART.
60	35	87	12	32	G	110			120	444OB-0NG060	444FOB-0NG060								
60	30	87	12	32	K	110			120	444OB-0NK060	444FOB-0NK060								
80	30	108	12	32	G	110			110	444OB-0NG080	444FOB-0NG080								
80	30	108	12	32	R	110			110	444OB-0NR080	444FOB-0NR080								
80	30	108	12	32	K	110			110	444OB-0NK080	444FOB-0NK080								
100	30	127	12	32	G	110			120	444OB-0NG100	444FOB-0NG100								
100	35	127	12	32	G	110			130	444OB-0NG100-15	444FOB-0NG100-15								
100	30	127	12	32	R	110			120	444OB-0NR100	444FOB-0NR100								
100	35	127	12	32	K	110			120	444OB-0NK100	444FOB-0NK100								
125	35	156	12	32	G	113			130	444OB-0NG125	444FOB-0NG125								
125	35	156	12	32	R	113			130	444OB-0NR125	444FOB-0NR125								
125	35	156	12	32	K	113			130	444OB-0NK125	444FOB-0NK125								
125	45	164	16	52	G	113			250	444POB-0SG125	444PFOB-0SG125								
125	45	164	16	52	R	113			250	444POB-0SR125	444PFOB-0SR125								
125	45	164	16	52	K	113			250	444POB-0SK125	444PFOB-0SK125								
150	40	177	12	37	G	115			130	444LOB-0NG150	444LFOB-0NG150								
150	40	177	12	37	R	115			130	444LOB-0NR150	444LFOB-0NR150								
150	40	177	12	37	K	115			130	444LOB-0NK150	444LFOB-0NK150								
150	45	192	16	52	G	115			250	444OB-0SG150	444FOB-0SG150								
150	45	192	16	52	R	115			250	444OB-0SR150	444FOB-0SR150								
150	45	192	16	52	K	115			250	444OB-0SK150	444FOB-0SK150								

## LEGGERO - ATTACCO A FORO



					M			ART.	CON FRENO ART.
175	45	228	16	48	G	150	260	444OB-0NG175	444FOB-0NG175
175	45	228	16	48	R	150	260	444OB-0NR175	444FOB-0NR175
175	45	228	16	48	K	150	260	444OB-0NK175	444FOB-0NK175
200	50	240	16	48	G	150	270	444OB-0NG200	444FOB-0NG200
200	50	240	16	48	R	150	270	444OB-0NR200	444FOB-0NR200
200	50	240	16	48	K	150	270	444OB-0NK200	444FOB-0NK200